



The undersigned certifies that this communication is being deposited with the United States Postal Service as prepaid first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on May 18, 2004.

~~Cynthia Soumoff~~

In re Application of:

KIM, Young-Woo

Serial No.: 10/577,170

Filed: December 13, 2006

Title: A LAPROSCOPE WITH FLEXIBLE BINOCULAR CAMERA

Customer No.: 26817

Group Art Unit: 3739

Examiner: LEUBECKER, John P.

Confirmation No.: 1116

**X**

Mail Stop Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

## RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT


Sir:

In response to a Notice of Non-Compliant Amendment, mailed May 13, 2009, which Notice states that the drawings are not acceptable and that Replacement drawings in compliance with 37 C.F.R. § 1.84 and 37 C.F.R. § 1.121 are required, Applicant hereby submits four (4) Replacement Sheets of Drawings for the above-referenced U.S. patent application.

It is believed that no fee is required for submission of the Replacement drawings. However, if any fees are required, the Commissioner is authorized to charge Deposit Account No. 13-2165.

Respectfully submitted,

Dated: May 18, 2009

  
Cynthia Seumoff  
Reg. No. 38,314  
Attorney for Applicant

PORZIO, BROMBERG & NEWMAN, P.C.  
29 Thanet Road, Suite 201  
Princeton, NJ 08540  
Tel: 609 924 8555  
Fax: 609 924 3036